US National Phase of PCT/US00/15026

Atty. Det No. X-13134

JC13 Rec'd PCT/PTO 18 DEC 2001

## Claims As Of 12/13/2001

- 1. Ultralente-like crystals having a uni-modal particle size distribution comprising:
- a) insulin, an insulin analog, a derivatized insulin, or a derivatized insulin analog; and
- b) a divalent metal cation; characterized in that the volume mean spherical equivalent diameter of the crystals is from 1 micron to 5 microns.
- 2. Crystals according to Claim 1, wherein the divalent metal cation is zinc.
- 3. Crystals according to Claim 2 wherein zinc is present at about 0.3 to about 2.0 mole per mole of insulin, insulin analog, derivatized insulin or derivatized insulin analog.
- 4. Crystals according to claim 1, wherein the volume mean spherical equivalent diameter is from 1.5 microns to 4.5 microns.
- 5. Crystals according to Claim 4 wherein the volume mean spherical equivalent diameter is from 2 microns to 4 microns.
- A process for preparing crystals according to claim 1, comprising;
- a) preparing a crystallization solution comprising insulin, an insulin analog, a derivatized insulin or a derivatized insulin analog, a buffer, a salt and a divalent cation;
- b) combining the crystallization solution of step a) with a nucleating seed suspension; and

- c) allowing time for the seeded crystallization solution of step b) to generate the crystals.
- 7. The process of Claim 6 wherein the nucleating seed suspension comprises insulin or a derivatized insulin.
- 8. The process of Claim 6 wherein the volume of nucleating seed suspension is equivalent to about 5 to about percent of the volume of the seeded crystallization solution.
- 9. The process of Claim 8 wherein the volume of nucleating seed suspension is equivalent to about 8 to about 20 percent of the volume of the seeded crystallization solution.
- 10. The process of Claim 9 wherein the volume of nucleating seed suspension is equivalent to about 10 to about 15 percent of the volume of the seeded crystallization solution.
- 11. The process of Claim 6 wherein the seeded crystallization solution has a protein concentration of about 0.5 to about 20 mg/ml.
- 12. The process of Claim 11 wherein the seeded crystallization solution has a protein concentration of about 1 to about 10 mg/ml.
- 13. The process of Claim 12 wherein the seeded crystallization solution has a protein concentration of about 2 to about 4 mg/ml.

- 14. The process of Claim 6 wherein the divalent metal cation is zinc.
- 15. The process of Claim 6 wherein the crystallization proceeds for 1 to about 48 hours.
- 16. The process of Claim 15 wherein the crystallization process proceeds for 2 to about 30 hours.
- 17. The process of Claim 16 wherein the crystallization process proceeds for 3 to about 25 hours.
- 18. The process of Claim 6 wherein the buffer is sodium acetate and the salt is sodium chloride.
- 19. The process of Claim 8 wherein the crystallization solution further comprises citrate.
- 20. A pharmaceutical composition for administration by inhalation by mouth comprising the crystals according to claim 1.
- 21. The pharmaceutical composition of Claim 20 further comprising a carrier, an additive, an excipient, or an aqueous solvent.
- 22. The pharmaceutical composition of Claim 21 wherein the crystals are in the form of a dry powder.
- 23. The pharmaceutical composition of Claim 21 further comprising a non-crystalline form of insulin, an insulin analog, derivatized insulin or derivatized insulin analog.

- 24. Use of the crystals according to claim 1 to prepare a medicament for the treatment of diabetes or hyperglycemia by mouth.
- 25. A method of using the crystals according to claim 1 to treat diabetes or hyperglycemia using a device to administer the crystals by inhalation via the mouth to a patient in need of such treatment.
- 26. A method of treating diabetes comprising administering the pharmaceutical composition according to claim 20 to a patient in need thereof to regulate blood glucose levels in the patient.
- 27. The method of treating diabetes according to Claim 26 wherein the pharmaceutical composition is administered once a day to the patient.